

SPARE PARTS AND CONSUMABLES

For efficient maintenance



TABLE OF CONTENTS

OVENS	4	FRYERS	35
CLEANING AND SANITIZING PRODUCTS	5	CLEANING AND SANITIZING PRODUCTS	36
TOOLS AND CONSUMABLES	7	TOOLS AND CONSUMABLES	38
ACCESSORIES	8	ACCESSORIES	39
EXTRAORDINARY MAINTENANCE	9	EXTRAORDINARY MAINTENANCE	40
REFRIGERATION	11	PASTA COOKERS	42
CLEANING AND SANITIZING PRODUCTS	12	CLEANING AND SANITIZING PRODUCTS	43
TOOLS AND CONSUMABLES	13	TOOLS AND CONSUMABLES	44
ACCESSORIES	14	ACCESSORIES	45
EXTRAORDINARY MAINTENANCE	15	EXTRAORDINARY MAINTENANCE	46
DISHWASHING	17	FOOD PROCESSING	48
CLEANING AND SANITIZING PRODUCTS	18	ACCESSORIES	49
TOOLS AND CONSUMABLES	20	BLADES FOR MEAT SLICERS	51
ACCESSORIES	21	SPARES	52
EXTRAORDINARY MAINTENANCE	23		
		SNACKING	55
TOP COOKERS	28	CLEANING AND SANITIZING PRODUCTS	56
CLEANING AND SANITIZING PRODUCTS	29	TOOLS AND CONSUMABLES	58
TOOLS AND CONSUMABLES	31	ACCESSORIES	59
ACCESSORIES	32	EXTRAORDINARY MAINTENANCE	60
EXTRAORDINARY MAINTENANCE	33		



OVENS



OVENS CLEANING AND SANITIZING PRODUCTS



LF Code: 3092039 GEV Code: 802235



LF Code: 5098361 GEV Code: 802065



LF Code: 3092187 GEV Code: LF3092187

SCALE REMOVER BOILER CLEANER 10 kg

strong-acting, complete with exhaustion indicator

for the removal of limescale and corrosion residue in machines such as heat exchangers, in breakfast milk dispensers or copper cooling circuits

it contains special damping, antifoaming and corrosion-inhibiting agents.

SCALE REMOVER CALFREE 10L TANK

specially designed to remove limescale residue from steam generators

DEGREASING DETERGENT ND-150 EXTRA 5 L

food-safe

for the removal of grease, oil, wax, ink, mould and every other residue that is hard to remove, to be diluted 1:5 up to 1:50 not flammable

ideal for the cleaning of fryers after they have been emptied, for hood filters for washing station etc.



LF Code: 3092022 GEV Code: 802119



LF Code: 3092279 GEV Code: LF3092279



LF Code: 3092186 GEV Code: 890338

ALKALINE DEGREASER FORT HDSPRAY 750 ml

for the cleaning of FIXED parts
This product contains 90% biodegradable
anionic and nonionic surface-active agents.
It is an alkaline product for the removal of
stubborn deposits of baked-on greases
and mineral, grease from hot plates, ovens,
grills and hoods

CORROSIVE LIQUID OVEN DETERGENT 12kg

for cooking chamber cleaning

DEGREASING DETERGENT ND-150 EXTRA 1 L

food-safe

for the removal of grease, oil, wax, ink, mould and every other residue that is hard to remo, to be diluted 1:5 up to 1:50 not flammable; ideal for the cleaning of fryers after they havebeen emptied, for hood filters, for washing station etc.



LF Code: 3092288 GEV Code: LF3092288

LF Code: 3092069 GEV Code: LF3092069



LF Code: 3092214 GEV Code: LF3092214

MULTIPURP. DETERGENT SPLENDIVETRO 750 ml

for glass cleaning for the cleaning of any washable surface highly anti-static and dustproof

STAINLESS STEEL CLEANER 500 ml

for cleaning of stainless steel, chrome, brass, enamelled metal surfaces, light alloys and non-ferrous metals can be used in food environments avoid direct contact with food

DETERGENT STAINLESS STEEL SPRAY 500 ml

to restore stainless steel surfaces protects and polishes surfaces

OVENS CLEANING AND SANITIZING PRODUCTS



LF Code: 3092267 GEV Code: 890023

DECORES L+

LF Code: 3092226 GEV Code: LF3092226



LF Code: 3092330 GEV Code: LF3092330

DETERGENT FOR STAINL. STEEL WÜRTH 400ml

100% biodegradable Recommended for floors, walls, working surfaces, evaporators, etc. Removes all organic residue (even if encrusted) Ensures perfect surface hygienisation Non-aggressive for the user Prevents pipe clogging thanks to the continuous enzymatic action

Dosage: 1% in hot water

LIQUID DISINFECTANT DETERGENT

5 L

DETERGENT DISINFECTANT 750 ml

for cleaning, degreasing, polishing and sanitizing all equipment, tops and surfaces. It is specific to clean and sanitize hospitals, retirement homes, schools and gyms, besides industrial, food and catering sector



LF Code: 3394361 GEV Code: 890206

CONTACTS CLEANER SPRAY KD/E/2S 200 ml

specific product to degrease and clean all the electric contacts, suit. for UHF and VHF groups, electronic components, micromechanisms of high precision, it does not corrode nor leaves residues, it does not oxidise treated parts.

OVENS TOOLS AND CONSUMABLES



LF Code: 3394551 GEV Code: LF3394551

LF Code: 3180102 GEV Code: 890101



LF Code: 3180052 GEV Code: 890015

TOTAL HARDNESS ANALYSIS TEST KIT

SILICONE GREASE 150 g

to lubricate taps, valves, pumps to grease bearings and threadings hot and cold water resistant water-repellent

RED HIGH TEMPERATURE SEALER 280 ml

operating temperature -65+260°C with peaks 320°C for OVEN GASKETS



LF Code: 1180001 GEV Code: LF1180001



LF Code: 3092177 GEV Code: LF3092177

GREASE KLUBERSYNTH UH1 14-151 45 g

food safe grease for lubrication of all friction points ideal for water and steam taps operating temperature -45°/+120° beige color - NSF H1 certified hot and cold water resistant high anti-corrosion power can replace vaseline

GREASE MOLYKOTE1102 50 g

for gas valves and taps max operating temperature +175°C

OVENS ACCESSORIES



LF Code: 3010241 GEV Code: LF3010241



LF Code: 3010242 GEV Code: LF3010242



LF Code: 3010243 GEV Code: LF3010243

WATER SOFTENER "ECO 8" 8 L ø 3/4"

for water treatment for TECHNICAL purposes
AUTOTROL digital head 366/604
timer 604 6W 230V 50/60Hz
connection 3/4"
dimensions: width 225 mm,
height 415 mm
depth 375 mm
resin content 5.4 kg
regeneration salt(NaCl-table salt)0.5 kg
brine salt 10 kg
operating temperature 2°÷35°C
pressure: min 2 bar - max 8 bar

WATER SOFTENER "ECO 12" 12 L ø 3/4"

for water treatment for TECHNICAL purposes
AUTOTROL digital head 366/604
timer 604 6W 230V 50/60Hz
connection 3/4"
dimensions: width 260 mm,
height 440 mm
depth 450 mm
resin content 5.6 kg
regeneration salt(NaCl-table salt)1 kg
brine salt 20 kg
operating temperature 2°÷35°C
pressure: min 2 bar - max 8 bar

WATER SOFTENER "ELETTRONIC 8" 8 L ø 3/4"

for water treatment for TECHNICAL purposes
AUTOTROL digital head 255
timer LOGIX 740 4W 230V 50/60Hz
complete with mixer ø 3/4"
connection 3/4"
dimensions: width 200 mm, height 540 mm
depth 410 mm
resin content 5.6 kg
regeneration salt(NaCl-table salt)1 kg
brine salt 20 kg
operating temperature 2°÷35°C
pressure: min 2 bar - max 8 bar



LF Code: 3010267 GEV Code: 520136



LF Code: 3010300 GEV Code: 530238

RESIN 25 L

25 L package

SALT FOR WATER SOFTNER IN TABLETS 25 kg

FOR WATER SOFTENING SYSTEMS



LF Code: 3185052 GEV Code: 971186



LF Code: 3185053 GEV Code: 970123

STAINLESS STEEL GRID GN 1/1 530x325 mm

thickness 7 mm

STAINLESS STEEL GRID GN 2/1 650x530 mm

OVENS EXTRAORDINARY MAINTENANCE



LF Code: 7115455 GEV Code: 900750

28,5

LF Code: 5006659 GEV Code: 902221



LF Code: 5012477 GEV Code: 902337

GASKET FOR OVEN DOOR GREY/BLUE

of silicone elastomer profile dimensions 30x19 mm GREY COLOUR/BLUE SALE PER LINEAR METRE



LF Code: 3755206 GEV Code: 418196

GASKET FOR OVEN DOOR 500x470 mm

made of silicone elastomer profile dimensions 28,5x13 mm COLOUR BLACK



LF Code: 3755239 GEV Code: 415654

GASKET FOR OVEN DOOR 755x470 mm

made of silicone elastomer profile dimensions 28,5x13 mm BLACK COLOUR



LF Code: 3755240 GEV Code: 415690

HEATING ELEMENT 6000W 230V

external ø 230 mm - internal ø 218 mm total height 130 mm flange 140x25 mm



LF Code: 7113555 GEV Code: 370744

HEATING ELEMENT 5666W 230V

external ø 480 mm - internal ø 465 mm total height 65 mm flange 80x45 mm



LF Code: 3120283 GEV Code: 374032

HEATING ELEMENT 9000W 230V

immersed depth 290 mm flange external ø 63 mm with bulb sheath - complete with O-ring



LF Code: 3120550 GEV Code: 370267

ELECTRO VALVE RPE 220/240V ø 11 mm

solenoid valve 180° 220/240V 50/60Hz - max 90°C inlet 3/4"- outlet ø 11 mm



LF Code: 3120404 GEV Code: 370015

SOLENOID VALVE RPE 230V ø 10 mm

solenoid valve 180° - 230V 50/60Hz max 60° C inlet 3/4" - two outlets ø 10 mm 1 outlet with adjusters - brown 1 outlet with adjusters - red

SOLENOID VALVE ROBERTSHAW 1 WAY 180°

240V 50/60Hz 6W max. temperature 90°C inlet 3/4" - outlet ø 10.5 mm

SOLENOID VALVE T&P 1 WAY 90°

230V 50/60Hz max. temperature 90°C inlet 3/4" con riduttore di portata 10 L/min outlet ø 10.5 mm

SEE COMPLETE LISTING ON WEBSITE WWW.GEV-ONLINE.COM WWW.LFSPAREPARTS724.COM

OVENS EXTRAORDINARY MAINTENANCE



LF Code: 3221382 GEV Code: 359946

LF Code: 3221105 GEV Code: 357193



LF Code: 3221061 GEV Code: 360663

max temperature 300°C - ø 26x57 mm

LAMP E14 25W 230V

NEUTRAL HALOGEN LAMP G9 40W 230V

max. temperature 250°C



LF Code: 3122406 GEV Code: 500573

NEUTRAL HALOGEN LAMP G4 20W 12V

max temperature 250°C



LF Code: 3331003 GEV Code: 499142

88

LF Code: 3331006 GEV Code: 500568

DRAIN PUMP HANNING DPS25-032

30W 220/240V 50Hz - supplied with 2 extra pump bodies and RAST5 adjuster inlet outer ø 23 \div 28 mm outlet outer ø 23 mm

VIBRATORY PUMP CP.06

70W 220/230V 60Hz connections ø 7.5 mm - ø 8 mm

SET VIBRATORY PUMP 32W 220/240V

50/60Hz - fittings ø 1/8"- ø 7 mm PUMP CEME E51210EN02240C3

REFRIGERATION



REFRIGERATION CLEANING AND SANITIZING PRODUCTS



LF Code: 3092354 GEV Code: LF3092354

LF Code: 3092256 GEV Code: 801490



LF Code: 3092247 GEV Code: 801490

SANIBACT DISINFECTANT CONCENTRATED 1 L

bactericidal and yeasticidal disinfectant concentrated - dilution 1:25 complies with EN1276 - EN13697 tests (bacteria) complies with EN13697 test (moulds) effective against viruses in the CORONAVIRUS - family and hepatitis B/C for use on evaporators and all surfaces

DETERGENT GASKET CARE 1 L

cleans and sanitizes refigerator internal parts and gaskets

DETERGENT GASKET CLEAN 500 ml

cleans and sanitizes refrigerator internal parts and gaskets



LF Code: 3092016 GEV Code: LF3092016



LF Code: 5061727 GEV Code: LF5061727



LF Code: 3092288 GEV Code: LF3092288

DETERGENT DS-3 PERGEL 1 kg

for ice makers
non-corrosive to metals
eliminates limescale
it does not release irritating gas or vapours
it contains phosphoric acid and lactic acid
corrosive

DETERGENT URNEX FREEZ 414 ml

suitable for ice makers non-corrosive to metals it restores the machine's efficiency by removing any limescale buildup it contains irritating citric acid - irritant

MULTIPURP. DETERGENT SPLENDIVETRO 750 ml

for glass cleaning for the cleaning of any washable surface highly anti-static and dustproof



LF Code: 3092290 GEV Code: LF3092290

LF Code: 3092069 GEV Code: LF3092069



LF Code: 3394361 GEV Code: 890206

DISINFECTANT DETERGENT SANITRE

amphoteric sanitizer for food surfaces for the cleaning and sanitizing of floors, worktops and food equipment Reg. N°19277 of the Italian Ministry of Health

STAINLESS STEEL CLEANER 500 ml

for cleaning of stainless steel, chrome, brass, enamelled metal surfaces, light alloys and non-ferrous metals can be used in food environments avoid direct contact with food

CONTACTS CLEANER SPRAY KD/E/2S 200 ml

specific product to degrease and clean all the electric contacts, suit. for UHF and VHF groups, electronic components, micromechanisms of high precision, it does not corrode nor leaves residues, it does not oxidise treated parts.

REFRIGERATION TOOLS AND CONSUMABLES



LF Code: 3092064 GEV Code: 890337



LF Code: 3180043 GEV Code: 890217

MAGIC SPONGE 100x60x25 mm - 30 PIECES

for all hard surfaces, such as steel and marble

antibacterial action reduces bacteria by 99.99%


30 pcs PACKAGE

please see the attached documentation for use

OIL FOOD-GRADE SPRAY WÜRTH 300 ml

colourless and odourless powerful lubricant - to be used in the food and beverage sector, non-toxic, harmless to skin and protects from corrosion, waterproof.

compatible w/aluminium, stainless steel, plastic - operating temperature -10+180°C NSF certified



REFRIGERATION **ACCESSORIES**



LF Code: 3010241 GEV Code: LF3010241



LF Code: 3010242 GEV Code: LF3010242



LF Code: 3010243 GEV Code: LF3010243

WATER SOFTENER "ECO 8" 8 L ø 3/4"

for water treatment for TECHNICAL purposes AUTOTROL digital head 366/604 timer 604 6W 230V 50/60Hz connection 3/4" dimensions: width 225 mm, height 415 mm depth 375 mm resin content 5.4 kg regeneration salt(NaCl-table salt)0.5 kg brine salt 10 kg operating temperature 2°÷35°C pressure: min 2 bar - max 8 bar

WATER SOFTENER "ECO 12" 12 L ø 3/4"

for water treatment for TECHNICAL purposes AUTOTROL digital head 366/604 timer 604 6W 230V 50/60Hz connection 3/4" dimensions: width 260 mm, height 440 mm depth 450 mm resin content 5.6 kg regeneration salt(NaCl-table salt)1 kg brine salt 20 kg operating temperature 2°÷35°C pressure: min 2 bar - max 8 bar

WATER SOFTENER "ELETTRONIC 8" 8 L ø 3/4"

for water treatment for TECHNICAL purposes AUTOTROL digital head 255 timer LOGIX 740 4W 230V 50/60Hz complete with mixer ø 3/4" connection 3/4" dimensions: width 200 mm, height 540 mm depth 410 mm resin content 5.6 kg regeneration salt(NaCl-table salt)1 kg brine salt 20 kg operating temperature 2°÷35°C pressure: min 2 bar - max 8 bar



LF Code: 3010267 GEV Code: 520136



LF Code: 3010300 GEV Code: 530238



LF Code: 3185052 GEV Code: 971186

RESIN 25 L

25 L package

650x530 mm



LF Code: 3185053 GEV Code: 970123

SALT FOR WATER SOFTNER IN TABLETS 25 kg

FOR WATER SOFTENING SYSTEMS

STAINLESS STEEL GRID GN 1/1 530x325 mm

thickness 7 mm



STAINLESS STEEL GRID GN 2/1



LF Code: 3185184 GEV Code: 970125

GRID PLASTIC-COATED GN 1/1 530x325 mm

white colour



LF Code: 3185050 GEV Code: 970556

GRID PLASTIC-COATED GN 2/1 650x530 mm

white colour

REFRIGERATION EXTRAORDINARY MAINTENANCE



LF Code: 2110446 GEV Code: LF2110446

16,5

LF Code: 3186876 GEV Code: 902167



LF Code: 3186955 GEV Code: 900025

SNAP-IN GASKET 595x405 mm

SNAP-IN GASKET 1003 LENGTH 2000 mm

SNAP IN GASKET 400x300 mm

for REFRIGERATED TABLES



LF Code: 3355698 GEV Code: 420372



LF Code: 3455430 GEV Code: LF3455430



LF Code: 3355688 GEV Code: 418856

HEATING ELEMENT FOR DOOR 3000 mm

54W 230V - silicone insulation ø 3 mm electric cable length 1000 mm

HEATING ELEMENT RCE 051 250W 230V

345x50x115 mm

HEATING ELEMENT FOR TRAY 200W 220V

thermostat 130°C 210x117 mm



LF Code: 3240910 GEV Code: 601020



LF Code: 3240911 GEV Code: 601022



LF Code: 3240912 GEV Code: 601023

MOTOR WEIGUANG YZF 5-13 5 FAST. METHODS

230V 50/60Hz 5W 1300rpm

MOTOR WEIGUANG YZF 10-20 5 FAST. METHODS

230V 50/60Hz 10W 1300rpm

MOTOR WEIGUANG YZF 16-25 5 FAST. METHODS

230V 50/60Hz 16W 1300rpm



LF Code: 3240913 GEV Code: 601024

MOTOR WEIGUANG YZF 25-40 5 FAST. METHODS

230V 50/60Hz 25W 1300rpm

REFRIGERATION EXTRAORDINARY MAINTENANCE



LF Code: 3120404 GEV Code: 370015

LF Code: 3120405 GEV Code: 370017



LF Code: 3120406 GEV Code: 370019

SOLENOID VALVE T&P 1 WAY 90°

230V 50/60Hz - max. temperature 90° C inlet $3/4^{\circ}$ con riduttore di portata 10 L/min outlet \emptyset 10.5 mm



SOLEN. VALVE T&P 1 WAY 180°

230V 50/60Hz - max. temperature 90°C inlet 3/4" - outlet ø 10.5 mm

SOLEN. VALVE T&P 2 WAY 90°

230V 50/60Hz - max. temperature 90°C inlet 3/4" - two outlets ø 10.5 mm



LF Code: 3120407 GEV Code: 370021



LF Code: 1240283 GEV Code: 345042



LF Code: 3240123 GEV Code: 527736

SOLEN, VALVE T&P 2 WAY 180°

230V 50/60Hz - max. temperature 90°C inlet 3/4" - two outlets ø 10.5 mm

MICROSWITCH CROUZET EF83161.3

1NO+1NC 16A 250V - faston 6.3x0.8 mm standard operating force max 0.8N - min 0.2N

.3 MICROSWITCH ROLD VRSRB1DA1

16A 250V



LF Code: 5026552 GEV Code: 359728

III OF

LF Code: 3221041 GEV Code: 359740

The last of the la

LF Code: 3221061 GEV Code: 360663

HALOGEN LAMP OSRAM E14 40W 230V

dimensions 80x26 mm max temperature 300°C

LAMP E14 15W 230V

max temperature 300°C - dimensions ø 22x50 mm

LAMP E14 25W 230V

max temperature 300°C - ø 26x57 mm

DISHWASHING



DISHWASHING CLEANING AND SANITIZING PRODUCTS



LF Code: 3092039 GEV Code: 802235

10

LF Code: 3092095 GEV Code: LF3092095



LF Code: 3092066 GEV Code: 802118

SCALE REMOVER BOILER CLEANER 10 kg

strong-acting, complete with exhaustion indicator

for the removal of limescale and corrosion residue in machines such as heat exchangers, in breakfast milk dispensers or copper cooling circuits it contains special damping, antifoaming and corrosion-inhibiting agents.

SCALE REMOVER ASCOR PRN 6kg

for boilers - elements - refrigerating circuits

SCALE REMOVER CALCINET 1 kg

removes scale residues from DISHWASHERS, HEAT EXCHANGERS and scaly elements it does not damage rubber gaskets



LF Code: 3092069 GEV Code: LF3092069



LF Code: 3092214 GEV Code: LF3092214



LF Code: 3092267 GEV Code: 890023

STAINLESS STEEL CLEANER 500 ml

for cleaning of stainless steel, chrome, brass, enamelled metal surfaces, light alloys and non-ferrous metals can be used in food environments avoid direct contact with food

DETERGENT STAINLESS STEEL SPRAY 500 ml

to restore stainless steel surfaces protects and polishes surfaces

DETERGENT FOR STAINL. STEEL WÜRTH 400ml



LF Code: 3092226 GEV Code: LF3092226

barri

LF Code: 3092290 GEV Code: LF3092290



LF Code: 3092330 GEV Code: LF3092330

LIQUID DISINFECTANT DETERGENT 5 L

100% biodegradable Recommended for floors, walls, working surfaces, evaporators, etc. Removes all organic residue (even if en-

Ensures perfect surface hygienisation Non-aggressive for the user Prevents pipe clogging thanks to the continuous enzymatic action Dosage: 1% in hot water

DISINFECTANT DETERGENT SANITRE 1 L

amphoteric sanitizer for food surfaces for the cleaning and sanitizing of floors, worktops and food equipment Reg. N°19277 of the Italian Ministry of Health

DETERGENT DISINFECTANT 750 ml

for cleaning, degreasing, polishing and sanitizing all equipment, tops and surfaces. It is specific to clean and sanitize

hospitals, retirement homes, schools and gyms, besides industrial, food and catering sector

DISHWASHING CLEANING AND SANITIZING PRODUCTS



LF Code: 3394361 GEV Code: 890206

CONTACTS CLEANER SPRAY KD/E/2S 200 ml

specific product to degrease and clean all the electric contacts, suit. for UHF and VHF groups, electronic components, micromechanisms of high precision, it does not corrode nor leaves residues, it does not oxidise treated parts.



DISHWASHING TOOLS AND CONSUMABLES



LF Code: 3392004 GEV Code: 890106

\$15,386

LF Code: 3392006 GEV Code: LF3392006



LF Code: 3180102 GEV Code: 890101

SILICONE TRANSPARENT SEALANT TB40

90g tube temperature range -40°C to +160°C



LF Code: 3092020 GEV Code: LF3092020

TRANSPARENT SILICONE LOCTITE 310 ml

suitable for gluing and sealing in the industry(glass gluing-oven sealing) operating temperature -60+250°C



LF Code: 3092272 GEV Code: LF3092272

SILICONE GREASE 150 g

to lubricate taps, valves, pumps, to grease bearings and threadings - hot and cold water resistant, water-repellent



LF Code: 3092273 GEV Code: LF3092273

RINSE AID BRILLER LP 5L DRUM

it helps fast drying and makes plates and glasses even shinier It contains 80% biodegradable nonionic detergents

please see the attached documentation for use

RINSE AID SHINE CLEAN 5 kg

Automatic dosage 0.1%-1% Rinse aid that helps dish drying of dishes. Professional use please see the attached documentation for use



LF Code: 3092271 GEV Code: LF3092271

RINSE AID SHINE CLEAN 10 kg

Automatic dosage 0.1%-1% Rinse aid that helps dish drying of dishes. Professional use please see the attached documentation for use



LF Code: 3092274 GEV Code: LF3092274

DETERGENT CLEAR CLEAN 6 kg

Professional use, specific for dishwashers glass washers with strong descaling action Rinse after use

LF Code: 3092270

GEV Code: LF3092270

please see the attached documentation for use

DETERGENT CLEAR CLEAN 12 kg

Professional use, specific for dishwashers glass washers with strong descaling action Rinse after use

please see the attached documentation for use

DETERGENT CLEAR CLEAN PLUS 6 kg

Containing Chlorine, specific for dishwashers, glass washers
Strong rinse aid and descaling action
Professional use rinse after use
please see the attached documentation for use



LF Code: 3092275 GEV Code: LF3092275

LF Code: 3394551 GEV Code: LF3394551

DETERGENT CLEAR CLEAN PLUS 12 kg

Containing Chlorine, specific for dishwashers, glass washers
Strong rinse aid and descaling action
Professional use rinse after use
please see the attached documentation for use

TOTAL HARDNESS ANALYSIS TEST KIT

DISHWASHING ACCESSORIES



LF Code: 3055454 GEV Code: 972100

LF Code: 3055451 GEV Code: 972102



LF Code: 3055453 GEV Code: 972104

GLASS RACK 500x500x106 mm

PLATE RACK 500x500x106 mm

18 PLATES - 12 BOWLS plastic





LF Code: 3055557 GEV Code: 972102



LF Code: 5110619 GEV Code: 972100



LF Code: 3055482 GEV Code: 970828

DISH RACK 500x500x100 mm

plastic

BASKET MISC. ITEMS CAMBRO 500x500x101 mm

plastic - large-size mesh bottom height 83 mm

GLASS RACK ø 355x160 mm

bottom ring ø 280 mm



LF Code: 3055491 GEV Code: 972035

CUTLERY RACK 450x230x130 mm

of plastic

DISHWASHING ACCESSORIES



LF Code: 3010241 GEV Code: LF3010241



LF Code: 3010242 GEV Code: LF3010242



LF Code: 3010243 GEV Code: LF3010243

WATER SOFTENER "ECO 8" 8 L ø 3/4"

for water treatment for TECHNICAL purposes
AUTOTROL digital head 366/604
timer 604 6W 230V 50/60Hz
connection 3/4"
dimensions: width 225 mm,
height 415 mm
depth 375 mm
resin content 5.4 kg
regeneration salt(NaCl-table salt)0.5 kg
brine salt 10 kg
operating temperature 2°÷35°C
pressure: min 2 bar - max 8 bar

WATER SOFTENER "ECO 12" 12 L ø 3/4"

for water treatment for TECHNICAL purposes
AUTOTROL digital head 366/604
timer 604 6W 230V 50/60Hz
connection 3/4"
dimensions: width 260 mm,
height 440 mm
depth 450 mm
resin content 5.6 kg
regeneration salt(NaCl-table salt)1 kg
brine salt 20 kg
operating temperature 2°÷35°C
pressure: min 2 bar - max 8 bar

WATER SOFTENER "ELETTRONIC 8" 8 L ø 3/4"

for water treatment for TECHNICAL purposes
AUTOTROL digital head 255
timer LOGIX 740 4W 230V 50/60Hz
complete with mixer ø 3/4"
connection 3/4"
dimensions: width 200 mm, height 540 mm
depth 410 mm
resin content 5.6 kg
regeneration salt(NaCl-table salt)1 kg
brine salt 20 kg
operating temperature 2°÷35°C
pressure: min 2 bar - max 8 bar



LF Code: 3010267 GEV Code: 520136



LF Code: 3010300 GEV Code: 530238

RESIN 25 L

25 L package

SALT FOR WATER SOFTNER IN TABLETS 25 kg

FOR WATER SOFTENING SYSTEMS



LF Code: 7123303 GEV Code: 512546

AIR TRAP 175x65 mm

hose end fitting ø 6 mm



LF Code: 3060035 GEV Code: 511446

AIR CHAMBER 200x260 mm

closed window



LF Code: 3060034 GEV Code: 511445

AIR CHAMBER FOR BOILER 60x230 mm

hose end fitting ø 6 mm



LF Code: 3060068 GEV Code: 517171

AIR CHAMBER 55x31x90 mm

hose end fitting ø 6 mm



LF Code: 3060601 GEV Code: 510103

AIR CHAMBER COMPLETE 85x20x80 mm

with two O-ring gaskets, bajo bolt and hose end fitting Ø 5 mm



LF Code: 3060609 GEV Code: 518200

AIR CHAMBER COMPLETE ø 34x79 mm

complete with flat O-ring gasket and connector - hose end fitting ø 6 mm



LF Code: 3060129 GEV Code: 502062

LF Code: 3320039 GEV Code: 541045

LF Code: 3320096 GEV Code: 541142

AIR CHAMBER COMPLETE ø 26x105 mm

hose end fitting ø 6 mm complete with mounting kit



LF Code: 3320019 GEV Code: 541003

PRESSURE SWITCH 1 LEVEL

calibration 55/35 mbar - 250V 16A max operating temperature 85°C

PRESSURE SWITCH 1 LEVEL

calibration 28/12 mbar 250V 16(4)A



LF Code: 3320029 GEV Code: 541017

PRESSURE SWITCH 1 LEVEL

calibration 40/20 mbar -250V 16A max operating temperature 85°C



calibration 123/75 mbar 250V 16(4)A



LF Code: 3355461 GEV Code: 418823

LF Code: 3455410 GEV Code: 420331



LF Code: 5061400 GEV Code: 417575

HEATING ELEMENT FINNED 1000W 220V

for drying area - immersed depth 430 mm wings 25x50 mm - fittings M14x1.5



LF Code: 3855010 GEV Code: 420347

HEATING ELEMENT 1400W 230V

immersed length 190 mm width 160 mm - flange 50x27 mm complete with gasket



LF Code: 3355119 GEV Code: 415004

HEATING ELEMENT 2100W 230V

immersed length 270 mm width 160 mm - flange 50x27 mm complete with gasket



LF Code: 3355292 GEV Code: 415066

HEATING ELEMENT CARTRIDGE 2500W

immersed length 210 mm external ø flange 49 mm heating element ø 20 mm - cables 300 mm

complete with 0-ring



LF Code: 3755950 GEV Code: 416058

HEATING ELEMENT 3000W 220/380V

for boiler and tank immersed length 295 mm fitting for fastening ø 1"1/2 (48 mm) complete with gasket ø 63 mm



LF Code: 3756008 GEV Code: 416289

HEATING ELEMENT 4500W 220/380V

immersed length 300 mm flange ø external 63 mm - with probe receptacle complete with 0-ring ø 58 mm



LF Code: 5020241 GEV Code: 418770

HEATING ELEMENT BOILER 6000W 400V

immersed length 260 mm external ø flange 60 mm - with cables complete with 0-ring ø 57 mm

HEATING ELEMENT 6000W 230V

immersed length 415 mm width 65 mm - flange 80x27 mm

HEATING ELEMENT 15000W 240V

immersed length 595 mm external ø flange 72 mm complete with 0-ring ø 67 mm



LF Code: 3122310 GEV Code: 500114

LF Code: 3122500 GEV Code: 500298



LF Code: 3122185 GEV Code: LF3122185

ELECTRIC PUMP AP 5800/2013 1HP

inlet external ø 45 mm outlet external ø 40 mm 1HP 230V 50Hz 4A - Rpm 2850 capacitor 16 µf - flow rate 340 L/min



LF Code: 3122052 GEV Code: 500037

ELECTRIC PUMP AP 902SX 0.10HP

inlet external ø 28 mm outlet external ø 28 mm 0.10HP 230V 50Hz 1.1A - Rpm 2600 capacitor 6.3 µf - flow rate 80 L/min



LF Code: 5007992 GEV Code: 500359

ELECTRIC PUMP FIR 1204DX 2HP

inlet external ø 63 mm outlet external ø 54 mm 1.5kW 220/415V 50Hz 5.9/3.4A - Rpm 2800 flow rate 500 L/min



LF Code: 3122454 GEV Code: 500538

ELECTRIC PUMP FIR 2211DX 0.10HP

inlet external ø 28 mm outlet external ø 28 mm 0.074kW 230V 50Hz 1.1A - 2700Rpm capacitor 5 µF - flow rate 80 L/min



LF Code: 3122574 GEV Code: 500280

ELECTRIC PUMP LGB PPL46DX 0.43HP

hose-end fitting inlet-outlet ø 12 mm 0.32kW 230V 50Hz capacitor 8µF



LF Code: 3122871 GEV Code: LF3122871

ELECTRIC PUMP LGB PS46RH 0.60HP

inlet ø 3/8"F - outlet ø 3/8"F 0.45kW 230V 50Hz 2.5A - Rpm 2800 capacitor 10µF - for pressure increase with 2 hose-end fittings ø 3/8"x 12mm



LF Code: 3122001 GEV Code: 500039

DRAIN PUMP 100W 230V 50Hz

WITH SEAL ON SHAFT TYPE 6x22x7 in NBR inlet external ø 24 mm outlet external ø 24 mm - Asincrona



LF Code: 3122406 GEV Code: 500573

DRAIN PUMP HANNING DPS25-032

30W 220/240V 50Hz supplied with 2 extra pump bodies and RAST5 adjuster inlet outer ø 23÷28 mm - outlet outer ø 23 mm

DRAIN PUMP 100W 230V 50Hz

with motor overload cutout

ELECTRIC PUMP GRE 1001X

190W 230V 50Hz inlet external ø 24 mm outlet external ø 24 mm



LF Code: 3090016 GEV Code: 361015

LF Code: 3090001 GEV Code: 361002



LF Code: 3090228 GEV Code: 361545

HYDRAULIC DISPENSER TYPE 3000

for rinse aid - flow rate max 3.6 cc with inspectionable filter - silicone valves neoprene/nylon diaphragm

HYDRAULIC RINSE AID INJECTOR

for rinse aid

RINSE AID DISPENSER 2001P

max flowrate 6.6 cc



LF Code: 3090019 GEV Code: 361009



LF Code: 3090130 GEV Code: 361370



LF Code: 3090236 GEV Code: 361596

RINSE AID DISPENSER N6 E 05 G4G4

with EPDM diaphragm minimum pressure 0.5 bar inlet side 4 mm hose fitting outlet side 4 mm hose fitting

RINSE AID HYDRAULIC DISPENSER

setting from 0 to 3 cm³/cycle

DETERGENT DISPENSER 115/240V 50/60Hz



LF Code: 3090307 GEV Code: 361442

LF Code: 3067602 GEV Code: 510032



LF Code: 3067001 GEV Code: 510929

PERISTALTIC PUMP TWINDOSE 10

24/115/230V 50/60Hz size 190x155 mm compact injection system. It allows pump speed setting max. detergent flow rate 4 L/h 0.1 bar max rinse aid flow rate 1 L/h 3 bar complete with mounting kit

SALT CONTAINER ASSEMBLY 85x100 mm

new model

SALT CONTAINER COMPLETE

overall height 150 mm - external ø 122 mm



LF Code: 3120004 GEV Code: 370734

LF Code: 3120104 GEV Code: LF3120104



LF Code: 3120005 GEV Code: 373017

SOLEN. VALVE ELBI TYPE 319 1 WAY 90°

220/240V 50/60Hz - max. temperat. $90^{\circ}C$ inlet 3/4" - outlet ø 10.5 mm

SOLEN. VALVE ELBI TYPE 319 1 WAY 90°

220/240V 50/60Hz - max. temperat. 90°C inlet 3/4" - outlet ø 13.5 mm

SOLEN. VALVE ELBI TYPE 329 1 WAY 180°

220/240V 50/60Hz - max. temperat. 90°C inlet 3/4" - outlet ø 10.5 mm



LF Code: 3120006 GEV Code: 373019



LF Code: 3120405 GEV Code: 370017



LF Code: 3120557 GEV Code: 370329

SOLEN, VALVE ELBI TYPE 339 2 WAY 90°

220/240V 50/60Hz - max. temperat. 90°C inlet 3/4" - two outlets ø 10.5 mm

SOLEN. VALVE T&P 1 WAY 180°

230V 50/60Hz - max. temperat. 90°C inlet 3/4" - outlet ø 10.5 mm

SOLENOID VALVE L182B01 1/2"FF 24V

EX L180 - for water - DN 13.5 mm - NC max temperature 100°C max differential pressure 16 bar coil 24V 50/60Hz



LF Code: 3120541 GEV Code: 370320

19

LF Code: 7114673 GEV Code: 519663

SOLENOID VALVE L140B5 ø 1/2"FF 24V

for water - normally closed max. temperature 100°C max. differential pressure 10 bar coil 24V 50/60Hz

DOOR GASKET 3SIDES 550x600x650 mm

profile 11x19 mm for hood-type dishwasher PT-M

TOP COOKERS



TOP COOKERS CLEANING AND SANITIZING PRODUCTS



LF Code: 3092235 GEV Code: LF3092235

LF Code: 5103265 GEV Code: 802253



LF Code: 3092347 GEV Code: 802212

PULICERAM SANITIZER SMEG 500 ml

suitable for glass-ceramic cooking hob for operating instructions see the label on the package - complete with sprayer

DEGREASER GLANCIL "EASY&SAFE" 750 ml

for all surfaces of professional kitchens contains non-ionic surfactants, contains perfume, dissolves proteins, starch and oil eliminates grease from all surfaces and objects, Washable and alkali-resistant particularly suitable for floor cleaning and extractor hoods

DETERGENT RAPID GREASE 1 I

degreasing detergent for grids and plates hot use

for use instructions, see attached documentation



LF Code: 3092022 GEV Code: 802119



LF Code: 3092069 GEV Code: LF3092069



LF Code: 3092214 GEV Code: LF3092214

ALKALINE DEGREASER FORT HDSPRAY 750 ml

for the cleaning of FIXED parts
This product contains 90% biodegradable
anionic and nonionic surface-active agents.
It is an alkaline product for the removal of
stubborn deposits of baked-on greases
and mineral, grease from hot plates, ovens,
grills and hoods

STAINLESS STEEL CLEANER 500 ml

for cleaning of stainless steel, chrome, brass, enamelled metal surfaces, light alloys and non-ferrous metals can be used in food environments avoid direct contact with food

DETERGENT STAINLESS STEEL SPRAY 500 ml

to restore stainless steel surfaces protects and polishes surfaces



LF Code: 3092267 GEV Code: 890023

DETERGENT FOR STAINL. STEEL

WÜRTH 400ml



LF Code: 3092290 GEV Code: LF3092290



LF Code: 3092226 GEV Code: LF3092226

DISINFECTANT DETERGENT SANITRE 1 L

amphoteric sanitizer for food surfaces for the cleaning and sanitizing of floors, worktops and food equipment Reg. N°19277 of the Italian Ministry of Health

LIQUID DISINFECTANT DETERGENT 5 L

100% biodegradable Recommended for floors, walls, working surfaces, evaporators, etc. Removes all organic residue (even if encrusted) Ensures perfect surface hygienisation

Non-aggressive for the user Prevents pipe clogging thanks to the continuous enzymatic action Dosage: 1% in hot water

TOP COOKERS CLEANING AND SANITIZING PRODUCTS



LF Code: 3092330 GEV Code: LF3092330


LF Code: 3394361 GEV Code: 890206

DETERGENT DISINFECTANT 750 ml

for cleaning, degreasing, polishing and sanitizing all equipment, tops and surfaces. It is specific to clean and sanitize hospitals, retirement homes, schools and gyms, besides industrial, food and catering sector

CONTACTS CLEANER SPRAY KD/E/2S 200 ml

specific product to degrease and clean all the electric contacts, suit. for UHF and VHF groups, electronic components, micromechanisms of high precision, it does not corrode nor leaves residues, it does not oxidise treated parts.



TOP COOKERS TOOLS AND CONSUMABLES



LF Code: 3180102 GEV Code: 890101

WATDA9

LF Code: 5056894 GEV Code: 890060



LF Code: 5012699 GEV Code: H890005

OIL MAYOR WHITE 17 kg - 20 L

SILICONE GREASE 150 g

to lubricate taps, valves, pumps to grease bearings and threadings hot and cold water resistant water-repellent



LF Code: 3092178 GEV Code: LF3092178

SILICONE SEALANT PACTAN 7055

310 ml - colour black to glue glass-ceramic heat resistant up to 150°C



LF Code: 3092177 GEV Code: LF3092177

LF Code: 3180002 GEV Code: 890102

GREASE S6959 GEB 20 g

special grease for valves and gas taps



LF Code: 3180041 GEV Code: LF3180041

GREASE MOLYKOTE1102 50 g

for gas valves and taps max operating temperature +175°C

GREASE STABURAGS N32 50 g

high quality grease for high temperatures to lubricate gas taps

ROST OFF PLUS LUBRICATING SPRAY 300 ml

high penetration capacity throughout rust and corrosion, releases screws and nuts, eliminates rust and protects from corrosion, the addition of organic molybdenum guarantees an excellent lubrication capacity of the surface, without any resins and acids, it does not damage rubber or plastic materials operating temperature -10+140°C flash point 200°C

TOP COOKERS ACCESSORIES



LF Code: 3354001 GEV Code: 210001

REDUCER FOR MOKA POT 265x265 mm

in stainless steel matt version



LF Code: 3160342 GEV Code: 692717


DRAIN-FILTER STAINLESS STEEL 76x76 mm



LF Code: 3162013 GEV Code: 693143

MIDDLE FORK

square shaft hole 12x12 mm overall length 141 mm



TOP COOKERS EXTRAORDINARY MAINTENANCE



LF Code: 3311098 GEV Code: 490018

LF Code: 3311065 GEV Code: 490074



LF Code: 3020033 GEV Code: 107984

ELECTRIC HOT PLATE ø 220 mm 2000W 230V

"ECODESIGN" MODEL electrical screw connections with STAINLESS steel edge for electric cooking top

ELECTRIC HOT PLATE 4000W 400V

dimensions 300x300 mm terminal block electric connections with STAINLESS steel edge for electric cooking top

ONE-FLAME PILOT BURNER SIT

multigas nozzle with bracket 2 positions external regulation through 7 mm nut



LF Code: 3025755 GEV Code: 107002



LF Code: 3023161 GEV Code: 104156



LF Code: 3348005 GEV Code: 101089

BURNER COMPLETE MOUNT. DIST. 120 mm

with central flame 4000-7000 Kcal/h height 54 mm - ø 80 mm - pipe ø 27 mm

BURNER 445x200 mm

made of stainless steel

GAS TAP 22S/0

with pilot flame, with horizontal flange fittings ø M20x1.5 mm, with flow regulator thermocouple connection M8x1 D-shaped pin ø 10x8 mm



LF Code: 5028755 GEV Code: 418279



LF Code: 3755602 GEV Code: 418003



LF Code: 3351021 GEV Code: 380139

HEATING ELEMENT 1200W 230V

length 502 mm - width 50 mm height 58 mm



LF Code: 3454005 GEV Code: 380108

HEATING ELEMENT 3000W 230V

length 125 mm - width 525 mm height 50 mm - flange 70x22 mm



LF Code: 3351016 GEV Code: 400105

RELAY CRYDOM SOB667330

POWER RELAY FINDER 62.82.8.230.0000

230V 50/60Hz 2 exchange contacts 16A

CONTACTOR ABB AF16-30-10-13

17A 400V 7.5Kw - coil 100/250V 50/60Hz 3 normally open contacts 1 normally open auxiliary contact

SEE COMPLETE LISTING ON WEBSITE WWW.GEV-ONLINE.COM WWW.LFSPAREPARTS724.COM

TOP COOKERS EXTRAORDINARY MAINTENANCE



LF Code: 3444595 GEV Code: 371320

0

LF Code: 3241396 GEV Code: 111576



LF Code: 3241637 GEV Code: 110121

SINGLE-PHASE THERMOSTAT 40-280°C

D-shaped pin ø 6x4.6 mm capillary 850 mm - 16A 400V bulb ø 3x145 mm

SELF-ADHESIVE DISC PILOT SYMBOL

external ø 68 mm

BLACK KNOB ø 50 mm 60°-200°C

D-shaped hole 6x4.6 mm - flat part up for EGO thermostat



LF Code: 3356007 GEV Code: 541673



LF Code: 3356177 GEV Code: 542185



LF Code: 3053008 GEV Code: LF3053008

DRAIN TAP ø 1"1/2F TECNO

TAPERED SEAL - swivel nut ø 1"1/2F with gasket for BOILING PAN

TAP REPAIR KIT ø 2"F

for drain tap

RIGHT-LEFTHAND DOOR HINGE FOR OVEN

mounting distance 175 mm - overall length 205 height 156 mm



LF Code: 3053116 GEV Code: 514226

HINGE SPRING ø 32x195 mm

for PAN 700-900 PROTAGONISTA for BRATT PAN 700-900 PROTAGONISTA



FRYERS



FRYERS CLEANING AND SANITIZING PRODUCTS



LF Code: 3092212 GEV Code: LF3092212

には、

LF Code: 3092347 GEV Code: 802212



LF Code: 3092187 GEV Code: LF3092187

DEGREASER FOR FRYER RENOFRIT 5 L

for industrial fryers to dissolve and remove all carbonized deposits, for immersion

DETERGENT RAPID GREASE 1 L

degreasing detergent for grids and plates hot use. for use instructions, see attached documentation

DEGREASING DETERGENT ND-150 EXTRA 5 L

food-safe

for the removal of grease, oil, wax, ink, mould and every other residue that is hard to remove, to be diluted 1:5 up to 1:50 not flammable, ideal for the cleaning of fryers after they have been emptied, for hood filters, for washing station etc.



LF Code: 3092186 GEV Code: 890338



LF Code: 3092069 GEV Code: LF3092069



LF Code: 3092214 GEV Code: LF3092214

DEGREASING DETERGENT ND-150 EXTRA 1 L

food-safe

for the removal of grease, oil, wax, ink, mould and every other residue that is hard to remo, to be diluted 1:5 up to 1:50 not flammable, ideal for the cleaning of fryers after they have been emptied, for hood filters, for washing station etc.

STAINLESS STEEL CLEANER 500 ml

for cleaning of stainless steel, chrome, brass, enamelled metal surfaces, light alloys and non-ferrous metals can be used in food environments avoid direct contact with food

DETERGENT STAINLESS STEEL SPRAY 500 ml

to restore stainless steel surfaces protects and polishes surfaces



LF Code: 3092267 GEV Code: 890023



LF Code: 3092290 GEV Code: LF3092290

DISINFECTANT DETERGENT SANITRE



LF Code: 3092226 GEV Code: LF3092226

DETERGENT FOR STAINL. STEEL WÜRTH 400ml

amphoteric sanitizer for food surfaces for the cleaning and sanitizing of floors, worktops and food equipment

Reg. N°19277 of the Italian Ministry of Health

LIQUID DISINFECTANT DETERGENT

100% biodegradable

Recommended for floors, walls, working surfaces, evaporators, etc.

Removes all organic residue (even if encrusted)

Ensures perfect surface hygienisation Non-aggressive for the user Prevents pipe clogging thanks to the con-

tinuous enzymatic action Dosage: 1% in hot water

FRYERS CLEANING AND SANITIZING PRODUCTS



LF Code: 3092330 GEV Code: LF3092330



LF Code: 3394361 GEV Code: 890206

DETERGENT DISINFECTANT 750 ml

for cleaning, degreasing, polishing and sanitizing all equipment, tops and surfaces. It is specific to clean and sanitize hospitals, retirement homes, schools and gyms, besides industrial, food and catering sector

CONTACTS CLEANER SPRAY KD/E/2S 200 ml

specific product to degrease and clean all the electric contacts, suit. for UHF and VHF groups, electronic components, micromechanisms of high precision, it does not corrode nor leaves residues, it does not oxidise treated parts.

FRYERS TOOLS AND CONSUMABLES



LF Code: 3180102 GEV Code: 890101

夏の側

LF Code: 3180052 GEV Code: 890015



LF Code: 3092178 GEV Code: LF3092178

SILICONE GREASE 150 g

to lubricate taps, valves, pumps to grease bearings and threadings hot and cold water resistant water-repellent

RED HIGH TEMPERATURE SEALER 280 ml

operating temperature -65+260°C with peaks 320°C for OVEN GASKETS

GREASE S6959 GEB 20 g

special grease for valves and gas taps



LF Code: 3092177 GEV Code: LF3092177



LF Code: 3180002 GEV Code: 890102



LF Code: 3180041 GEV Code: LF3180041

GREASE MOLYKOTE1102 50 g

for gas valves and taps max operating temperature +175°C

GREASE STABURAGS N32 50 g

high quality grease for high temperatures to lubricate gas taps

ROST OFF PLUS LUBRICATING SPRAY 300 ml

high penetration capacity throughout rust and corrosion, releases screws and nuts, eliminates rust and protects from corrosion, the addition of organic molybdenum guarantees an excellent lubrication capacity of the surface, without any resins and acids it does not damage rubber or plastic materials operating temperature -10+140°C flash point 200°C

FRYERS ACCESSORIES



LF Code: 3055340 GEV Code: 693017

FRYER BASKET 250x225x105 mm

made of chrome-plated iron



LF Code: 3055177 GEV Code: 970374

FRYER BASKET 270x235x105 mm

made of chrome-plated iron for FRYER 12 l



LF Code: 3055359 GEV Code: 970679


FRYER BASKET 300x220x115 mm

made of chrome plated iron



LF Code: 3160370 GEV Code: LF3160370

FINE MESH FILTER 300x100x170 mm



FRYERS EXTRAORDINARY MAINTENANCE



LF Code: 3023255 GEV Code: 105163

VERTICAL BURNER ø 75x180 mm

made of chrome-plated iron



LF Code: 3523023 GEV Code: 101111

VALVE 710 MINISIT FOR FRYER 50÷190°C

inlet ø 1/2"F - outlet ø 3/8"F thermocouple connection M9x1 maximum gas inlet pressure 50 mbar ambient temperature 0÷60°C length capillary 1200 mm bulb ø 5x95 mm with an elbow flange ø 3/8"F



LF Code: 2111409 GEV Code: 694349

OIL DRAIN PIPE 1500 mm

with quick connections M-F



LF Code: 3755094 GEV Code: 420177

HEATING ELEMENT 2100W 230V

length 290 mm - width 50 mm height 205 mm - fittings M14x1.5 mm



LF Code: 3755858 GEV Code: 416825

HEATING ELEMENT 12000W 230/400V

length 325 mm - width 180 mm fitting M54x1.5 mm - complete with cables complete with 0-rings with 2 holes for bulb



LF Code: 3240410 GEV Code: 345032

MICROSWITCH 16(4)A 250V



LF Code: 3351021 GEV Code: 380139

POWER RELAY FINDER 62.82.8.230.0000 CON

230V 50/60Hz 2 exchange contacts 16A



LF Code: 3454005 GEV Code: 380108

CONTACTOR ABB AF16-30-10-13

17A 400V 7.5Kw - coil 100/250V 50/60Hz 3 normally open contacts 1 normally open auxiliary contact



LF Code: 3351016 GEV Code: 400105

RELAY CRYDOM SOB667330

FRYERS EXTRAORDINARY MAINTENANCE



LF Code: 3744223 GEV Code: 375104

LF Code: 5112409 GEV Code: 550498



LF Code: 3523060 GEV Code: 100820

THERMOSTAT THREE-PHASE 230°C

with manual reset covered capillary length 830 mm bulb ø 6x167mm - with stuffing gland fitting M10x1



BULB FASTENING CLIP

for heating element thermostat for pipe ø 8.5 mm - for bulb ø 4 mm

OIL SEAL FITTING ø 6.5 mm

internal thread M10x0.75 - external thread M14x1.5



LF Code: 3356149 GEV Code: 542290

DRAIN TAP ø 2"F TECNO

BRASS CAP - with swivel nut ø 2"F




LF Code: 5041924 GEV Code: 532725

O-RING 0177 VITON

ring thickness 3.53 mm - internal ø 74.60 mm

PASTA COOKERS



PASTA COOKERS CLEANING AND SANITIZING PRODUCTS



LF Code: 40S2362 GEV Code: LF40S2362

-

LF Code: 3092071 GEV Code: LF3092071



LF Code: 5103265 GEV Code: 802253

SCALE REMOVER "C-30" 5 L

specific for dishwashers and professional ovens, for limescale elimination from boilers, circuits, plumbers and heat exchangers. for use instructions, see attached documentation

BIOLOGICAL DRAIN CLEANER 10 TABLETS

blister pack with 10 tablets it prevents and removes drain clogging

DEGREASER GLANCIL "EASY&SAFE" 750 ml

for all surfaces of professional kitchens contains non-ionic surfactants, contains perfume, dissolves proteins, starch and oil eliminates grease from all surfaces and objects, Washable and alkali-resistant particularly suitable for floor cleaning and extractor hoods



LF Code: 3092069 GEV Code: LF3092069



LF Code: 3092267 GEV Code: 890023



LF Code: 3092290 GEV Code: LF3092290

STAINLESS STEEL CLEANER 500 ml

for cleaning of stainless steel, chrome, brass, enamelled metal surfaces, light alloys and non-ferrous metals can be used in food environments avoid direct contact with food

DETERGENT FOR STAINL. STEEL WÜRTH 400ml

DISINFECTANT DETERGENT SANITRE 1 L

amphoteric sanitizer for food surfaces for the cleaning and sanitizing of floors, worktops and food equipment Reg. N°19277 of the Italian Ministry of Health



LF Code: 3092226 GEV Code: LF3092226



LF Code: 3092330 GEV Code: LF3092330



LF Code: 3394361 GEV Code: 890206

LIQUID DISINFECTANT DETERGENT 5 L

100% biodegradable Recommended for floors, walls, working surfaces, evaporators, etc. Removes all organic residue (even if encrusted)

Ensures perfect surface hygienisation Non-aggressive for the user Prevents pipe clogging thanks to the continuous enzymatic action Dosage: 1% in hot water

DETERGENT DISINFECTANT 750 ml

for cleaning, degreasing, polishing and sanitizing all equipment, tops and surfaces. It is specific to clean and sanitize hospitals, retirement homes, schools and gyms, besides industrial, food and catering sector.

CONTACTS CLEANER SPRAY KD/E/2S 200 ml

specific product to degrease and clean all the electric contacts, suit. for UHF and VHF groups, electronic components, micromechanisms of high precision, it does not corrode nor leaves residues, it does not oxidise treated parts.

> SEE COMPLETE LISTING ON WEBSITE WWW.GEV-ONLINE.COM WWW.LFSPAREPARTS724.COM

PASTA COOKERS TOOLS AND CONSUMABLES



LF Code: 3180102 GEV Code: 890101

SILICONE GREASE 150 g

hot and cold water resistant

water-repellent

to lubricate taps, valves, pumps to grease bearings and threadings

LF Code: 3092158 GEV Code: 890202

SILICONE MASTIC TRANSLUCENT GEB 310 ml

temperature range from - 50° to + 230° C to glue glass with glass or glass and metal



LF Code: 3092178 GEV Code: LF3092178

GREASE S6959 GEB 20 g

special grease for valves and gas taps



LF Code: 3092177 GEV Code: LF3092177

LF Code: 3180002 GEV Code: 890102



LF Code: 3180041 GEV Code: LF3180041

GREASE MOLYKOTE1102 50 g


for gas valves and taps max operating temperature +175°C

GREASE STABURAGS N32 50 g

high quality grease for high temperatures to lubricate gas taps

ROST OFF PLUS LUBRICATING SPRAY 300 ml

high penetration capacity throughout rust and corrosion, releases screws and nuts, eliminates rust and protects from corrosion, the addition of organic molybdenum guarantees an excellent lubrication capacity of the surface, without any resins and acids, it does not damage rubber or plastic materials operating temperature -10+140°C flash point 200°C



PASTA COOKERS ACCESSORIES



LF Code: 3055283 GEV Code: 970714



LF Code: 3055337 GEV Code: 970385



LF Code: 3160265 GEV Code: 694000

BASKET FOR PASTA COOKER ø 145x200 mm

of STAINLESS steel

PASTA COOKER BASKET 140x140x205 mm LEFT

made of STAINLESS STEEL

STAINLESS STEEL DRAIN FILTER ø 50 mm

PASTA COOKERS EXTRAORDINARY MAINTENANCE



LF Code: 3020498 GEV Code: 102975

PILOT BURNER RH 2 FLAMES

with sparking plug with plug fitting with thermocouple fitting



LF Code: 3023266 GEV Code: 105498

BURNER ø 50x310 mm

overall length 370 mm made of STAINLESS steel



LF Code: 3855009 GEV Code: 416728

HEATING ELEMENT 2200W 230V

length 265 mm - width 200 mm fittings ø 1/4"



LF Code: 5009882 GEV Code: 514120

BALL VALVE ø 3/4"F

outlet ø internal 22 mm



LF Code: 3020009 GEV Code: 100049

PILOT BURNER PRINTED SIT 2 FLAMES

without sparking plug, gas nozzle and gasket



LF Code: 3181502 GEV Code: 101009

SPARK GENERATOR 2 OUTLETS

1.5Vdc battery powered



LF Code: 3355872 GEV Code: 415971

HEATING ELEMENT 9000W 230V

length 325 mm - width 250 mm coupling ø 40 mm complete with gaskets complete with cables - with bulb sheath



LF Code: 3356051 GEV Code: 541540

DRAIN TAP ø 3/4"F



LF Code: 3023141 GEV Code: 105344

VERTICAL BURNER 305x55 mm

made of chrome-plated iron



LF Code: 3397126 GEV Code: 379331

PROBE TEMPERATURE PT1000

2 wires - bulb ø 3x58 mm probe length 70 mm cable length 650 mm with fastening coupling M10x1 mm



LF Code: 5048481 GEV Code: 375094

THERMOSTAT SINGLE-PHASE 30-110°C

D-shaped pin ø 6x4.6 mm capillary length 1500 mm bulb ø 6x80 mm



LF Code: 3186013 GEV Code: 510408

0-RING 06187 EPDM ø 58 mm

ring thickness 5.34 mm internal ø 47.00 mm

PASTA COOKERS EXTRAORDINARY MAINTENANCE



LF Code: 3351021 GEV Code: 380139

LF Code: 3454005 GEV Code: 380108



LF Code: 3351016 GEV Code: 400105

POWER RELAY FINDER 62.82.8.230.0000

230V 50/60Hz 2 exchange contacts 16A





LF Code: 3120558 GEV Code: 370391

CONTACTOR ABB AF16-30-10-13

17A 400V 7.5Kw - coil 100/250V 50/60Hz 3 normally open contacts 1 normally open auxiliary contact



LF Code: 7101532 GEV Code: 374021

RELAY CRYDOM SOB667330



LF Code: 40L3189 GEV Code: 512510

SOLENOID VALVE L182B17 3/4"FF 24V

EX L180 - for water - NC max. temperature 100°C max. differential pressure 16 bar coil 24V 50/60Hz

SOLENOID VALVE RPE R 253 2-WAY 180°

230V 50/60Hz - max. temperature 60° C inlet 3/4"-two outlets ø 10.5 mm food-safe sealing (adjuster/reducer not included)

ADHESIVE GASKET 9x5 mm

SOLD PER LINEAR METRE

FOOD PROCESSING



FOOD PROCESSING ACCESSORIES



LF Code: 9494014 GEV Code: LF9494014

CHOPPING BOARD GREEN 500x300x20 mm

made of POLYETHYLENE - with retainers



LF Code: 9494004 GEV Code: LF9494004

CHOPPING BOARD WHITE 500x300x25 mm

made of POLYETHYLENE - with retainers



LF Code: 9494012 GEV Code: LF9494012

CHOPPING BOARD RED 500x300x20 mm

made of POLYETHYLENE - with retainers



LF Code: 9494011 GEV Code: LF9494011

CHOPPING BOARD BROWN 600x400x20 mm

made of POLYETHYLENE - with retainers



LF Code: 9494013 GEV Code: LF9494013

CHOPPING BOARD RED 600x400X20 mm

made of POLYETHYLENE - with retainers



LF Code: 9494009 GEV Code: LF9494009

CHOPPING BOARD YELLOW 600x400x20 mm

made of POLYETHYLENE - with retainers



LF Code: 9718152 GEV Code: LF9718152

PARING KNIFE BLADE 11 cm

green handle for vegetables and fruit HACCP compliant - NSF certified



LF Code: 9718142 GEV Code: LF9718142

BREAD KNIFE SERRATED BLADE 21 cm

white handle for bread and dairy products HACCP compliant - NSF certified



LF Code: 9718086 GEV Code: LF9718086

FRENCH CHEF'S KNIFE BLADE cm 18x3.7 mm

red handle for raw meat HACCP compliant- NSF certified



LF Code: 9718168 GEV Code: LF9718168

SLICING KNIFE BLADE cm 33x7.6 mm

professional black handle NSF certified



LF Code: 9718082 GEV Code: LF9718082

CARVING KNIFE BLADE 16 cm

red handle for raw meat HACCP compliant- NSF certified



LF Code: 9718115 GEV Code: LF9718115

FRENCH CHEF'S KNIFE BLADE cm 22x4.2 mm

yellow handle for cooked meat and poultry HACCP compliant - NSF certified

FOOD PROCESSING ACCESSORIES



LF Code: 9178012 GEV Code: LF9178012

. . . .

LF Code: 3394400 GEV Code: 801450



LF Code: 3394389 GEV Code: LF3394389

GLOVES FOOD PREP. FOODHAND SIZE L

work glove for the food industry good protection against dirty, fat and scratches CE n°1935/2004 - CE EN 420 approved

ACCUSHARP KNIFE SHARPENER

with customized screenprinting upon request, minimum quantity for screenprinting: 50 pieces

MULTIFUNCTION BLADE SHARPENER

sharpener for knives and scissors sharpening device for slicers with glass and tile cutter



LF Code: 9505017 GEV Code: LF9505017



LF Code: 9014164 GEV Code: LF9014164



LF Code: 9009000 GEV Code: LF9009000

KNIFE STERIL.UNIT ST.STEEL260x112xH330mm

NSF certified - HACCP compliant tank for liquid sanitiser removable pieces for easy cleaning

PLIERS ST.STEEL F/SLICED MEAT L. 12 cm

DRIP-FEED OILER 50 cl WITH OIL



LF Code: 9394801 GEV Code: 580147

MANUAL COUNTER TOP CAN OPENER

in cemented steel overall length knob included 805 mm height without knob 605 mm width 215 mm maximum can height 250 mm



FOOD PROCESSING BLADES FOR MEAT SLICERS



LF Code: 9006538 GEV Code: LF9006538

3

LF Code: 9006525 GEV Code: 698214



LF Code: 9006524 GEV Code: 697385

BLADE ø 350-57-4-280 MOD.C

B = outer ø 350 mm D = central hole ø 57 mm C = blade inner ø 280 mm 4x fastening screws 100CR6 forged steel

BLADE ø 300-40-3-254 MOD.C

B = outer ø 300 mm D = central hole ø 40 mm C = blade inner ø 254 mm blade height 22.5 mm 3x fastening screws 100CR6 forged steel

BLADE GRUND & BUNSE ø 300-40-3-250 MOD.C

B = outer ø 300 mm D = central hole ø 40 mm C = blade inner ø250 mm blade height 20 mm 3x fastening screws 100CR6 forged steel



LF Code: 9006559 GEV Code: 702173




LF Code: 9006535 GEV Code: 697375

BLADE 300-57-4-254 MOD.C W/EXTRACT.HOLES

B = outer ø 300 mm D = central hole ø 57 mm C = blade inner ø 254 mm 4x fastening screws with extraction holes 100CR6 forged steel

ST. STEEL BLADE ø 330-57-4-270 MOD.C

B = external ø 330 mm D = central hole ø 57 mm C = blade internal ø 270 mm 4 fastening screws 100CR6 forged stainless steel



FOOD PROCESSING SPARES



LF Code: 9013135 GEV Code: 697392



LF Code: 9013220 GEV Code: 697593



LF Code: 9013029 GEV Code: 702174

RIMMED GRINDERS 50-8-8

A = external ø 50 mm B = hole ø 8 mm H = height 8 mm FINE GRAIN



LF Code: 9012015 GEV Code: 697387

EMERY WHEEL WITH STEP AND DRUM 50-8-8

A = external ø 50 mm B = hole ø 8 mm H = height 8 mm COARSE GRAIN



LF Code: 9014150 GEV Code: 700725

CUP GRINDERS 51-8-12

A = external ø 51 mm B = hole ø 8 mm H = height 12 mm FINE GRAIN

GROOVES



LF Code: 9062020 GEV Code: LF9062020

BELT MULTIGRIP TB2 330 H12 5

SUCTION FOOT WITH SHAFT M5

length 10 mm base ø 37x26 mm

CARRIAGE HANDLE DISTANCE BW HOLES 114 mm

thread ø 6 mm - length 132 mm



LF Code: 7150817 GEV Code: 890256

LF Code: 9180103 GEV Code: LF9180103

PTFE BAND HEIGHT 45 mm - 3 m

for VACUUM PACKAGING MACHINE

VACUUM MAINTENANCE KIT

the kit includes:

1 PTFE band 490x45 mm

1 PTFE band 430x15 mm

1 silicone gasket 2030 mm - section 10x7 mm

1 silicone gasket 425 mm - section 17x8 mm

1 soldering heating element 300x3.5 mm

1 oil tube VM32 300 ml



FOOD PROCESSING SPARES



LF Code: 9014600 GEV Code: 696021



LF Code: 9014601 GEV Code: 696022



LF Code: 9014602 GEV Code: 696023

STAINLESS STEEL KNIFE F/MEAT MINCER 8

model ENTERPRISE 8 self-sharpening external ø 55 mm - square hole 10x10 mm

STAINLESS STEEL KNIFE F/MEAT MINCER 12

model ENTERPRISE 12 self-sharpening external Ø 60 mm - square hole 12x12 mm

STAINLESS STEEL KNIFE F/MEAT MINCER 22

model ENTERPRISE 22 self-sharpening external ø 73 mm - square hole 13x13 mm



LF Code: 9015501 GEV Code: LF9015501



LF Code: 9750014 GEV Code: 701756



LF Code: 9718048 GEV Code: 697883

SELF-SHARPENING STAINL. STEEL PLATE 8/2

model 8 ENTERPRISE self-sharpening ejection holes ø 2 mm external ø 61.8 mm - middle hole ø 9 mm

SMOOTH BLADE ASSEMBLY WITH DRUM

boss ø 60 mm - overall height 92 mm

KNIFE GROUP WITH PIN

overall height 62 mm



LF Code: 9014160 GEV Code: 698279

LF Code: 9016014 GEV Code: 699033



LF Code: 9063031 GEV Code: LF9063031

MEAT MINCER MASHER ø 50x100 mm

empty inside

BAND SAW BLADE 1650xh16 mm DIAMOND BLADE

6.35 mm teething distance diamond points

BEARING ø 20 mm BUSHING MOUNTED

external ø 20 mm - internal ø 5 mm - thickn.8 mm

FOOD PROCESSING **SPARES**



LF Code: 9014076 GEV Code: 401513

RECTANG.PUSH-BUTT.PANEL 0-I

with 6-threads cable external dimensions 75x40 mm





LF Code: 9014064 GEV Code: LF9014064

MUSHROOM PUSH-BUTTON RED 4A 400V

CEMA - 1 contact NC mounting hole ø 22 mm



LF Code: 9446007 GEV Code: LF9446007

TIMER KIT 30 MINUTES G30

complete with knob mechanical movement with balance wheel manually set mechanical timer 30 minutes manually set cycle contact capacity 16(3)A 250V max temperature 125°C square pin ø 6x4.6 mm



LF Code: 9014072 GEV Code: 403002

SMALL PUSH-BUTTON PANEL 0-I WITH **BOARD**

with cable external dimensions 120x47 mm



LF Code: 9014019 GEV Code: 301336

MODIFICATION KIT 230V 0.75HP

maximum load 0.75Hp 12(2)A 230V power supply 230V 50/60Hz watertight box IP54 with cable grommets box dimensions 107x107x58 mm power cord with plug PE1663 IP44 preset cable for in-line micro switch RED/GREEN touch-sensitive button w/ indic.light in compliance with EC regulation for SLICER



LF Code: 9057004 GEV Code: LF9057004

SINGLE-PHASE SEL.SWITCH 0-1 **POSITIONS**

contact capacity 16A 600V - max 60/75°C shaft 7x8 mm input connection 1-3 output connection 2-4



LF Code: 9014068 GEV Code: 401357

BUTTON PANEL O-I BLACK-WHITE 16A 250V

GIOVENZANA - 1 normally closed contact 1 normally open contact with indicator light mounting hole ø 22 mm



LF Code: 9014020 GEV Code: 401885

VARIATION KIT 230/400V 0.75HP

maximum load 0.75Hp 12(2)A 400V power supply 230/400V 50/60Hz watertight box IP54 with cable grommets box dimensions 107x107x58 mm power cord with plug PE1664 IP44 preset cable for in-line microswitch GREEN/RED touch-sensitive button w/ indic.light in compliance with EC regulation for SLICER



LF Code: 3240216 GEV Code: 345504

MAGNETIC MICROSWITCH E5221V

0.04A 250V - contact NO head 40x13x8 mm with cable length 1900 mm

SNACKING



SNACKING CLEANING AND SANITIZING PRODUCTS



LF Code: 40S2362 GEV Code: LF40S2362

LF Code: 5103265 GEV Code: 802253



LF Code: 3092069 GEV Code: LF3092069

SCALE REMOVER "C-30" 5 L

specific for dishwashers and professional ovens

for limescale elimination from boilers, circuits, plumbers and heat exchangers. for use instructions, see attached documentation

DEGREASER GLANCIL "EASY&SAFE" 750 ml

for all surfaces of professional kitchens contains non-ionic surfactants, contains perfume, dissolves proteins, starch and oil eliminates grease from all surfaces and objects, Washable and alkali-resistant particularly suitable for floor cleaning and extractor hoods

STAINLESS STEEL CLEANER 500 ml

for cleaning of stainless steel, chrome, brass, enamelled metal surfaces, light alloys and non-ferrous metals can be used in food environments avoid direct contact with food



LF Code: 3092214 GEV Code: LF3092214



LF Code: 3092267 GEV Code: 890023



LF Code: 3092290 GEV Code: LF3092290

DETERGENT STAINLESS STEEL SPRAY 500 ml

to restore stainless steel surfaces protects and polishes surfaces

DETERGENT FOR STAINL. STEEL WÜRTH 400ml

DISINFECTANT DETERGENT SANITRE 1 L

amphoteric sanitizer for food surfaces for the cleaning and sanitizing of floors, worktops and food equipment Reg. N°19277 of the Italian Ministry of Health



LF Code: 3092226 GEV Code: LF3092226



LF Code: 3092330 GEV Code: LF3092330



LF Code: 3394361 GEV Code: 890206

LIQUID DISINFECTANT DETERGENT 5 L

100% biodegradable Recommended for floors, walls, working surfaces, evaporators, etc. Removes all organic residue (even if encrusted)

Ensures perfect surface hygienisation Non-aggressive for the user Prevents pipe clogging thanks to the continuous enzymatic action Dosage: 1% in hot water

DETERGENT DISINFECTANT 750 ml

for cleaning, degreasing, polishing and sanitizing all equipment, tops and surfaces. It is specific to clean and sanitize hospitals, retirement homes, schools and gyms, besides industrial, food and catering sector.

CONTACTS CLEANER SPRAY KD/E/2S 200 ml

specific product to degrease and clean all the electric contacts, suit. for UHF and VHF groups, electronic components, micromechanisms of high precision, it does not corrode nor leaves residues, it does not oxidise treated parts.


SNACKING CLEANING AND SANITIZING PRODUCTS



LF Code: 3092362 GEV Code: 890025

FOAM CLEANER LOS 4000 500ML

for plastic/glass storage temperature max. 50 °C



SNACKING TOOLS AND CONSUMABLES



LF Code: 3180102 GEV Code: 890101



LF Code: 3180052 GEV Code: 890015



LF Code: 3092178 GEV Code: LF3092178

SILICONE GREASE 150 g


to lubricate taps, valves, pumps to grease bearings and threadings hot and cold water resistant water-repellent



LF Code: 3092177

RED HIGH TEMPERATURE SEALER 280 ml

operating temperature -65+260°C with peaks 320°C for OVEN GASKETS



special grease for valves and gas taps



GEV Code: LF3092177



LF Code: 3180002 GEV Code: 890102



LF Code: 3180111 GEV Code: 890295

GREASE MOLYKOTE1102 50 g

for gas valves and taps max operating temperature +175°C

GREASE STABURAGS N32 50 g

high quality grease for high temperatures to lubricate gas taps

FOOD-GRADE GREASe NUTROL WHITE 700 g

temperature range -20/+200°C NSF H1 - grade 1.5



LF Code: 3180041 GEV Code: LF3180041

ROST OFF PLUS LUBRICATING SPRAY 300 ml


high penetration capacity throughout rust and corrosion, releases screws and nuts, eliminates rust and protects from corrosion, the addition of organic molybdenum guarantees an excellent lubrication capacity of the surface, without any resins and acids, it does not damage rubber or plastic materials operating temperature -10+140°C flash point 200°C

SNACKING ACCESSORIES



LF Code: 7102256 GEV Code: 693002

GLASS CONTAINER FOR HOT DOGS ø 200x240 mm



SNACKING EXTRAORDINARY MAINTENANCE



LF Code: 3351021 GEV Code: 380139

LF Code: 3454005 GEV Code: 380108

CONTACTOR ABB AF16-30-10-13

3 normally open contacts 1 normally open auxiliary contact

17A 400V 7.5Kw - coil 100/250V 50/60Hz



LF Code: 3351016 GEV Code: 400105

RELAY CRYDOM SOB667330

POWER RELAY FINDER 62.82.8.230.0000


230V 50/60Hz 2 exchange contacts 16A



LF Code: 3755629 GEV Code: 416701

HEATING ELEMENT 1800W 240V

length 180 mm - width 195 mm with cables















GEV Großküchen-Ersatzteil-Vertrieb GmbH

Gadastr. 4 85232 Bergkirchen - Germany T +49 8142 6522-50 info@gev-online.com www.gev-online.com

LF S.p.A. a socio unico

Via Voltri 80 47522 Cesena FC - Italy T +39 0547 341111 info@lfspareparts.com www.lfspareparts724.com

EPGC S.a.s.

13 Rue des Forts 59960 Neuville en Ferrain - France T +33 3 20250621 epgc@epgc.com www.epgc.com

Commercial Catering Spares Ltd.

Block C - Axis Point Hill Top Road Heywood - Lancashire - OL10 2RQ - UK T +44 1706 621 155 info@ccspares.co.uk www.ccspares.co.uk

Atel S.r.l. a socio unico

Via Selvuzzis 51/2 33100 Udine UD - Italy T+39 0432 602095 info@atelitalia.com www.atelitalia.com